

DAFTAR PUSTAKA

- Abraham, T., J. Mathew, P. Srinivas, and C. K. Jacob. 2006. Incidence of tappingpanel dryness on popular rubber clones in southern rubber growing regionof India. In Jacob, J., R R. Krishnakumar and N. M. Mathew. (eds).Tapping panel dryness of rubber trees. Rubber Research Institute of India.
- Arsyad, S. 1989. Konservasi Tanah dan Air. IPB Press. Bogor.
- Benzie I.F.F. and Devaki M., 2018, The Ferric Reducing/Antioxidant Power (FRAP) Assay for Non-enzymatic Antioxidant Capacity: Concepts, Procedures, Limitations and Applications, Measurement of Antioxidant Activity and Capacity: Recent Trends and Applications, 77–106.
- Benzie, I. And Strain, J. (1996) The Ferric Reducing Ability of Plasma (FRAP) as a Measure of “Antioxidant Power: The FRAP Assay”. Analytical Biochemistry, 239, 70-76.
- Bianca K. 1993. Pengaruh Penambahan ZnCl₂ di Dalam Pembuatan Ekstrak Warna dari Campuran Daun Suji (*Pleomele angustifolia*) dan Daun Pandan (*Pandanus amarylifollus* Roxb.) Skripsi Sarjana Fakultas Teknologi Pertanian, IPB, Bogor.
- Biber, P.D. 2007. Evaluating a Chlorophyll Content Meter on Three Coastal Wetland Plant Species. Journal of Agricultural, Food and Environmental Sciences. Volume 1, Issue 2.
- Birben, E., Sahiner, U.M., Sackesen, C., Erzurum, S., Kalayci, O., 2012, Oxidative Stress and Antioxiant Defensif, World Allergy Organization Journal, pp. 9 – 10, 14.
- Canjura, F. L., Watkins R. H., and Schwartz S. J. 1991. Color Improvement and Metallochlorophyll Complexes in Continuous Flow Aseptically Processed Peas. J. Food Science, 64:987-990.
- Canjura, FL, RH. Watkins, Schwartz. 1999. Color improvement and metallochlorophyll complexes in continuous flow aseptically processed paes. J.l of Food Sci. 64 (6): 987990.
- Cheng KL, K. Ueno, T. Imamura. 1982. Handbook of Organic Analytical Reagents. CRC Press, Boca Raton, Florida.
- Chuthaputti, A., Pornpatkul, V., Suwankiri, U. (2007). The efficacy of *Andrographis paniculata* (Burm. F.) Wall. Ex Nees for the relief of the symptoms of influenza. Journal of Thai Traditional & Alternative Medicine 5(3): 1-10.

- Coon, J.T., Ernst, E. (2004). *Andrographis paniculata* in the treatment of upper respiratory.
- De Padua, L.S., Bunyapraphatsara, Lemmens, R.H.M.J. (1999). Plant resources of South East Asia no 12(1). Backhuys Publishers, Leiden: 21-70.
- Delgado-Vargas, Francisco, Paredes-Lopez, Octavio. Natural Colorants For Food And Nutraceutical Uses. USA: CRC Press, 2003.
- Dewanto v, Wu x, Adom K K, Liu R H. 2002. Thermal processing enhances the nutritional value of tomatoes by increasing total antioxidant activity. *J. Agric. Food Chem.* 50, 3010–3014.
- Duh, C.Y., Wang, S.K., Tseng, H.K., Sheu, J.H. dan Chiang, M.Y. 1998. Novel Cytotoxic Cembranoids from the Soft Coral *Sinularia Flexibilis*. *J. Nat. Prod.*, 61 (6): 844–7.
- Effendi, M. S. 2012. *Teknologi Pengolahan dan Pengawetan Pangan*. Bandung: Alfabeta.
- Elbe JH, Schwartz, SJ, (1996), *Colorants*, di dalam : Fennema OR, Editor. *Food Chemistry*. Ed ke-3. Marcel Dekker, New York.
- Fajar, I Made., Diah Kencana., Gede Arda. —Pengaruh Suhu Dan Waktu Blanching Terhadap Karakteristik Fisik Dan Kimia Produk Rebung Bambu Tabah Kering (*Gigantochloa nigrociliata* (Buese) Kurz)l. Bali: Universitas Udayana.
- Ferreira, O., Pinho, S.P., 2012, Solubility of Flavonoids in Pure Solvents, *Industrial Engineering Chemical Research*, 51, 6568-6590.
- Greenwood. 1997. *Chemistry of The Elements*. Edisi ke-2.: Butterworth-Heinemann. Oxford.
- Gulcin, I., Uguz, M.T., Oktay, M., Beydemir, S., and Kufrevioglu, O.I., 2004, Evaluation of the Antioxidant and Antimicrobial Activities of Clary Sage (*Salvia sclarea* L.), *Turk I. Agric. For.*, 28: 25-33.
- Gunawan, D., dan Mulyani, S., 2004, *Ilmu Obat Alam (Farmakognosi)*, Jilid I, Penebar Swadaya, Yogyakarta.
- Harris R. 1989. *Evaluasi Gizi Pada Pengolahan Bahan Pangan*. ITB. Bandung.
- Hendry, G. A. F. And Houghton, J. D. (1996). *Natural Food Colorants*. Blackie Academica and Professional. USA.

- Hermawan, R , Hayati, E.K, Budi, US. 2010. Effect of Temperature, pH on Total Concentration and Color Stability Anthocyanin Compound Extract Reselle Calyx (*Hibiscus sabdariffa*).J. Alchemy 2(1), hal 104-157.
- Humphrey AM. 2004. Chlorophyll as a color and functional ingredient. Journal of Food Science. 69(5): C422-C425. <https://doi.org/10.1111/j.1365-2621.2004.tb10710.x>.
- Irina, I., dan G. Mohamed. 2012. Biological Activities and Effects of Food Processing on Flavonoids as Phenolic Antioxidants. <http://cdn.intechopen.com/pdfswm/26397>. pdf. Diakses tanggal 23 Januari 2016.
- Kang YR, Park J, Jung SK, Chang YH. 2018. Synthesis, characterization and functional properties of chlorophylls, pheophytins and Zn-pheophytins. Food Chemistry. 245: 943-950.
- Karamać M. Chelation of Cu(II), Zn(II), and Fe(II) by tannin constituents of selected edible nuts. Int J Mol Sci. 2009;10(12):5485–97.
- Karp , Gerald Terbitan: John Wiley & Sons, 2002. Book xviii, 704 p. ,25 cm 21 cm 0 cm Thesis.
- Khandaker, L., Masum Akond, A.S.M.G., Oba, S., 2010, Air Temperature and Sunlight Intensity of Different Growing Period Effect The Biomass, Leaf Color and Betacyanin Pigment Accumulation in Red Amaranth (*Amaranthus tricolor* L.), Journal Central European Agricultural, 10(4): 439-448.
- Kubatsch, A. And Grüneberg, H. 2007. The Effect of low light intensity and temperature on growth of *Schefflera arboricola* in interior landscapes. Hortscience 42(1):65–67.
- LaBorde, L. F. And von Elbe J. H. 1994. Chlorophyll Degradation and Zinc Complex Formation with Chlorophyll Derivatives in Heated Green Vegetables. J. Agric. Food Chemistry, 40:2341-2344.
- Lenny S. 2006. Bahan Ajar Metode Fitokimia. Laboratorium Kimia Organik Jurusan Kimia FMIPA Universitas Airlangga: Surabaya.
- MA Alpar, AF Cheng, MA Ruderman, J Shaham Nature 300 (5894), 728-730, 1982.
- Melinda. 2014. Aktivitas Antibakteri Daun Pacar (*Lowsonia inermis* L), Skripsi, Universitas Muhammadiyah Surakarta, Surakarta.
- Muchtadi, T.R. 1997. Teknologi Proses Pengolahan Pangan. IPB-Press. Bogor.

- Ngamwonglumlert, L., Devahastin, S., 2019. Carotenoids. *Encycl. Food Chem.* 40–52 E.P. Cipolatti, et al.
- Ngo T, Zhao Y. Formation of zinc-chlorophyll-derivative complexes in thermally processed green pears (*Pyrus communis* L.). *J Food Sci.* 2007;72(7):397–404.
- Ngo, T., Wrolstad, R. E., dan Zhao, Y. 2007. Color quality of oregon strawberries. Impact of genotype, composition, and processing. *Journal of Food Science* 72(1):25-32.
- Nikolaeva MK, Maevskaya SN, Shugaev AG, Bukhov NG. 2010. Effect of drought on chlorophyll content and antioxidant enzyme activities in leaves of three wheat cultivars varying in pro ductivity. *Russ J Plant Physiol+* 57: 94-102. DOI: 10.1134/S1021443710010127.
- Niranjan, A., Tewari, S.K., Lehry, A. 2010. Biological Activities of Kalmegh (*A. Paniculata* Nees) and Its Active Principles. *Indian J. Of Nat. Prod. And Res.* 1(2): 125- 135.
- Nollet, L.M.L., 2000, *Food Analysis by HPLC*, Marcel Dekker Inc., USA, pp. 787.
- Nurul, I. 2009. Perubahan pada Bahan Pangan saat Blanching. (On-line). <http://duniamikro.blogspot.com/perubahan-pada-bahan-pangan-saat.html>. Diakses tanggal 18 April 2020.
- Roy, M. K., Juneja, L. R., Isobe, S., & Tsushida, T. 2009. *Steam processed broccoli (Brassica oleracea) has higher antioxidant activity in chemical and cellular assay systems. Food Chemistry, 114(1), 263 -269.*
- Paluvi, Niken., Mukarlina dan Riza Linda.2015. Struktur Anatomi Daun, Kantung dan Sulur *Nepenthes gracilis* Korth. Yang Tumbuh di Area Intensitas Cahaya Berbeda. *Jurnal Protobiont,IV (1): 103-107.*
- Patel, P.B., Patel, P.V., Joshi, S.B., Pandya, D.D., Chaudary, M.K., Patel, B.G., Joshi, A.B. 2016. Effect of different blanching treatments on ascorbic acid retention in green leafy vegetables. *International Journal of Agricultural Sciences.* 8(51), 2353-2355.
- Pathare, P. B., Opara, U. L., Al-Said, F. A. 2013. Colour Measurement and Analysis in Freshand Processed Foods: A Review. *FoodBioprocess Technol* 6:36–60. DOI10.1007/s11947-012-0867-9.
- Pisoschi, A.M., Cheregi, M.C., Danet, A.F., 2009, Total Antioxidant Capacity Of Some Commercial Fruit Juices: Electrochemical and Spectrophotometrical Approaches, *Molecules*, 14, 480-493.

- Pokorny, J., N. Yanishleva, and M. Gordon. 2001. *Antioxidant in Food*. Woodhead Publishing Ltd. England.
- Porrarud S, Pranee A. 2010. Microencapsulation of Zn chlorophyll pigment from pandan leaf by spray drying and its characteristic. *International Food Research Journal*. 17(4): 1.031-1.042.
- Pujimulyani, D., Raharjo, S., Marsono, Y., & Santoso, U. 2010. Pengaruh Blanching Terhadap Aktivitas Antioksidan, Kadar Fenol, Flavonoid, dan Tanin Terkondensasi Kunir Putih (*Curcuma mangga* Val.). *Agritech*, 30(3).
- Putri, AR. 2012. Pengaruh Kadar Air terhadap Tekstur dan Warna Keripik Pisang Kepok (*Musa Parasidiacaformatypica*). Skripsi. Program Pasca Sarjana. Universitas Hasanuddin. Makassar.
- Ringopoulos D, Gregoriou S, Katsambas A, Hyperpigmentation and Melasma. *J Cosmet Dermatol* 2007;6:195-202
- Rodriguez-Amaya, D.B.; Kimura, M. 2016. Harvest Plus Handbook for Carotenoid Analysis. In *Harvest plus Technical Monograph, Series 2*; International Food Policy Research Institute and International Center for Tropical Agriculture: Washington, DC, USA.
- Rohmatussolihat, 2009, Antioksidan Penyelamat Sel-Sel Tubuh Manusia, *BioTrends*, 4(1), 5- 7, pp. 6-7.
- Santoso, 1999. *Kesehatan dan Gizi*. Jakarta: PT.Rineka Cipta.
- Schwartz, S.J., and Lorenzo, T.V. 1990. *J. Food Sci.*, 56, 1059-106.
- Schwartz SJ, Cooperstone JL, Cichon MJ, von Elbe JH, Giusti MM. Colorants. In: Damodaran S, Parkin KL, Fennema OR, editors. *Fennema's food chemistry*. 5th Edn. CRC Press Taylor & Francis Group, Boca Raton; 2017. p. 698–701.
- Senklang P, Anprung P. Optimizing enzymatic extraction of Zn-chlorophyll derivatives from pandan leaf using response surface methodology. *J Food Process Preserv*. 2010;34(5):759–76.
- Simpson, B. K. 2012. *Food Biochemistry and Food Processing*. 2nd Edition. Iowa; John Wiley & Sons, x 1997. *Kimia Pangan dan Gizi*. PT Gramedia Pustaka Utama, Jakarta. 253 hal.
- Singh, Gurkeerat. 2007. *Textbook of Orthodontics*. 2nd ed. New Delhi: Jaypee Medical Publishers.
- Socaciu, C. 2008. *Food Colorants : Chemical and Functional Properties*.

University of Agricultural Science and Veterinary Medicine Cluj-Napoca, Romania.

- Suhirman, S., dan Winarti, C., 2007, *Prospek dan Fungsi Tanaman Obat Sebagai Imunomodulator*, Penelitian, Balai Penelitian Tanaman Obat dan Aromatik, Bogor.
- Sunarni, T., Pramono, S. & Asmah, R., 2007, Flavonoid antioksidan penangkap radikal dari daun kepel (*Stelechocarpus Burahol* (Bl.) Hook f. & Th.), *Majalah Farmasi Indonesia*, 18(3), 111 – 116.
- Sundari, T dan R. P. Atmaja., 2011, Bentuk sel epidermis, tipe dan indeks stomata 5 Genotipe kedelai pada tingkat naungan berbeda, *Jurnal Biologi Indonesia*,7(1): 67-69.
- Suryani CL. Stabilitas ekstrak klorofil dan mikrokapsul Zn-klorofil daun pandan wangi (*pandanus Amarllifolius* Roxb.) sebagai pewarna makanan dan antioksidan. Yogyakarta: Disertasi. UGM.; 2021. p. 212.
- Tumolo T, Lanfer-Marquez UM. 2012. Copper chlorophyllin: A food colorant with bioactive properties? *Food Research International*. 46(2): 451 459. <https://doi.org/10.1016/j.foodres.2011.10.03>.
- Widowati, W., Safitri, R., Rumumpuk, R., Siahaan, M., 2005, Penapisan Aktivitas Superoksida Dismutase pada Berbagai Tanaman, *Jurnal Kesehatan Masyarakat*, 5(1), 33-35.
- Winarno, F.G. 2004. *Kimia Pangan dan Gizi*. Gramedia Pustaka Utama. Jakarta.
- Winarsih, H. 2007. *Antioksidan alami dan radikal bebas*. Kanisius. Yogyakarta.
- Yondra, A.D., C. Jose, dan H.Y. Teruna. Total Fenolik, Flavonoid Serta Aktivitas Antioksidan Ekstrak N-Heksana, Diklorometan Dan Metanol *Amaranthus spinosus* L Em5-Bawang Putih. *JOM FMIPA* 1(2): 359-369.
- Zakaria, Tamrin. A., Nursalim, Irmayanti. 2015. Pengaruh perlakuan blanching terhadap kadar β -karoten pada pembuatan tepung daun kelor (*Moringa oleifera*). *Media Gizi Pangan*, XIX, Edisi 1.
- Zhang, Z., Su, G., Zhou, F., Lin, L., Liu, X., Zhao, M., 2019. *Alcalase-hydrolyzed oyster (Crassostrea rivularis) meat enhances antioxidant and aphrodisiac activities in normal Male mice. Food Res. Int.* 120, 178–187. <https://doi.org/10.1016/J.FOODRES.2019.02.033>.