

DAFTAR PUSTAKA

- Ali Hanafiah, Kemas. 2005. Dasar-Dasar Ilmu Tanah. Jakarta : CV RajaGrafindo Persada
- Alkusma, Y. M., Hermawan, H., & Hadiyanto, H. (2016). Pengembangan Potensi Energi Alternatif Dengan Pemanfaatan Limbah Cair Kelapa Sawit Sebagai Sumber Energi Baru Terbarukan Di Kabupaten Kotawaringin Timur. *Jurnal Ilmu Lingkungan*, 14(2), 96. <https://doi.org/10.14710/jil.14.2.96-102>
- Aprianis, Y. (2011). *Produksi dan laju dekomposisi serasah Acacia crassicarpa A. Cunn di PT. Arara Abadi*. 4(1), 41–47.
- Attunisa, R. (2013). (*Anthocephalus cadamba* Miq .) RIFA ' ATUNNISA SEKOLAH PASCASARJANA Produktivitas, Laju Dekomposisi, dan Pelepasan Hara Serasah pada Tegakan Jabon (*Anthocephalus cadamba* Miq).
- Baroroh, A. U. L., Setyono, P., & Setyaningsih, R. (2015). Analisis kandungan unsur hara makro dalam kompos dari serasah daun bambu dan limbah padat pabrik gula (blotong). *Bioteknologi*, 12(2), 46–51. <https://doi.org/10.13057/biotek/c120203>
- Becker, J., Pabst, H., Mnyonga, J., & Kuzyakov, Y. (2015). Annual litterfall dynamics and nutrient deposition depending on elevation and land use at Mt. Kilimanjaro. *Biogeosciences*, 12(19), 5635–5646. <https://doi.org/10.5194/bg-12-5635-2015>
- Binkley, D., & Fisher, R. F. (2013). Ecology and Management of Forest Soils: Fourth Edition. In *Ecology and Management of Forest Soils: Fourth Edition*. <https://doi.org/10.1002/9781118422342>
- Bray, J. R., & Gorham, E. (1964). Litter Production in Forests of the World†. *Advances in Ecological Research*, 2(C), 101–157. [https://doi.org/10.1016/S0065-2504\(08\)60331-1](https://doi.org/10.1016/S0065-2504(08)60331-1)
- Broschat, T. K. (2011). *Uptake and Distribution of Boron in Coconut and Paurotis Palms* (pp. 1–4). pp. 1–4. Florida.
- Cimpeanu, C., Barna, C., & Iliescu, M. (2014). *P – radioactive tracer for the evaluation of fertilizers influence on nutrients translocation process from soil to the plants*. 59, 1048–1056.
- Claryssa M, Monteiro, ., Caron, E. S., Da Silveira, S. F., Almeida, A. M., Souza-Filho, G. R., & de Souza, A. L. (2013). Control of foliar diseases by the axillary application of systemic fungicides in Brazilian coconut palms. *Crop Protection*, 52, 78–83. <https://doi.org/10.1016/j.cropro.2013.05.013>
- Eka, M. (2008). *Pengukuran laju dekomposisi serasah menggunakan metode "Litterbag" pada tiga tipe penggunaan lahan di desa situdaun, Kecamatan Tenjolaya*
- Fataroh, H. (2016). *Peranan Fauna Tanah Terhadap Dekomposisi Serasah*. 1–7.
- Freiberg, M. (2001). *The Influence of Epiphyte Cover on Branch Temperature in a Tropical Tree Author (s): Martin Freiberg Reviewed work (s): The influence of epiphyte cover on branch temperature in a tropical tree*. 153(1), 241–250.
- Ganser, D., Denmead, L. H., Clough, Y., Buchori, D., & Tschardtke, T. (2017). Local and

- landscape drivers of arthropod diversity and decomposition processes in oil palm leaf axils. *Agricultural and Forest Entomology*, 19(1), 60–69. <https://doi.org/10.1111/afe.12181>
- Glick, B. R. (1995). *The enhancement of plant growth by freeliving bacteria*. 117, 109–117.
- Hairiah, K., Utami, S. R., Lusiana, B., & van Noordwijk, M. (2005). Neraca hara dan karbon dalam sistem agroforestri. *Bahan Ajar 6. International Centre for Research in Agroforestry (ICRAF). Bogor.*, 1–19.
- Hamdani S, N. (2009). *Studi Kelayakan Pendirian Industri Pengolahan Kakao (Theobroma cacao L) Skala Industri Kecil -Menengah (IKM) di Kabupaten Tanggamus, Lampung* (p. 134). p. 134. Bogor.
- Hasan Siregar, H., Hijri, N., Dan, D., & Pradiko, I. (2013). *Pemanfaatan Data Iklim Untuk Perkebunan Kelapa Sawit*. (51), 1–21. Retrieved from <https://agroklimatologipps.files.wordpress.com/2015/10/pemanfaatan-data-iklim-untuk-perkebunan.pdf>
- Isaac, S. R., & Nair, M. A. (2004). *Decomposition of wild jack (Artocarpus hirsutus Lamk .) leaf litter under subcanopy and open conditions*. 42, 29–32.
- Koontz, H., & Biddulph, O. (1957). Factors affecting absorption and translocation of foliar applied phosphorus. *Plant Physiology*, 32(5), 463–470. <https://doi.org/10.1104/pp.32.5.463>
- Krüger, J. P., Leifeld, J., Glatzel, S., Szidat, S., & Alewell, C. (2014). Biogeochemical indicators of peatland degradation - A case study of a temperate bog in northern Germany. *Biogeosciences*, 12(10), 2861–2871. <https://doi.org/10.5194/bg-12-2861-2015>
- Kurniasari, S. (2009). *KEBUN CAMPUR SENJOYO SEMARANG JAWA TENGAH SERTA UJI LABORATORIUM ANAKAN MAHONI (Swietenia macrophylla King) PADA BERAGAM DOSIS KOMPOS YANG DICAMPUR EM4 SEKOLAH PASCASARJANA*.
- Mindawati, nina dan pratiwi. (2008). Kajian penetapan daur optimal hutan tanaman Acacia mangium ditinjau dari kesuburan tanah. *Jurnal Penelitian Hutan Tanaman, Vol 5 No 2*, 109–118.
- Nugroho, Y. (2009). Analisis Sifat Fisik Kimia Dan kesuburan Tanah Pada Lokasi Rencana Hutan Tanaman Industri PT Prima Multibuwana. *Jurnal Kimia*, 10(27), 222–229.
- Nuraini, Y., & Sukmawatie, N. (2014). Pengaturan laju mineralisasi pangkasan Tithonia diversifolia dan Lantana camara untuk meningkatkan sinkronisasi fosfor. *Buana Sains*, 8(1), 91–103.
- Pahan, I. (2013). Manajemen Agribisnis dari Hulu Sampai Hilir Penebar Swadaya *Iyung Pahan*.
- Hardjowigeno, H. Sarwono. 2007. Ilmu Tanah. Jakarta : CV Akademika Pressindo.
- Mo_full.php.Prabowo, N. E., Foster, H. L., Nelson, S., & Nelson, P. (2010). Practical use of oil palm nutrient physiological efficiency with regard to nutrient recovery and agronomic efficiencies at different Sumatran sites. *XVII Th International Oil Palm Conference , Colombia*, (2005), 1–34.

- Prescott, G. W., Edwards, D. P., & Foster, W. A. (2015). Retaining biodiversity in intensive farmland: Epiphyte removal in oil palm plantations does not affect yield. *Ecology and Evolution*, 5(10), 1944–1954. <https://doi.org/10.1002/ece3.1462>
- Purwaningsih, S. (2003). Isolasi dan karakterisasi bakteri pelarut fosfat pada tanah dari taman nasional Bogani Nani Watabone, Sulawesi Utara. *Jurnal Biologi*, pp. 45–53.
- Putri, T. A., Syaufina, L., & Anshari, G. Z. (2016). Emisi Karbon Dioksida (CO₂) Rizosfer dan Non Rizosfer dari Perkebunan Kelapa Sawit (*Elaeis guineensis*) pada Lahan Gambut Dangkal. *Jurnal Tanah Dan Iklim*, 39(1), 43–50. Retrieved from <http://ejurnal.litbang.pertanian.go.id/index.php/jti/article/view/6174>
- RAJARATNAM. (1972). Application, Absorption and Translocation of Boron in Oil Palm Methods of Application and Types of Boron Fertilizer. *ExplAgric*, (1973) 9, 29–39.
- Rosleine, D., Choesin, D. N., & Sulistyawati, E. (2006). The Contribution of Dominant Tree Species to Nutrient Cycling in a Mixed Forest Ecosystem on Mount Tangkubanperahu, West Java, Indonesia. *International Conference on Mathematics and Natural Sciences (ICMNS)*, 378–380.
- Rosli, F., Ghazali, C. M. R., Al Bakri Abdullah, M. M., & Hussin, K. (2016). A review: Characteristics of oil palm trunk (OPT) and quality improvement of palm trunk plywood by resin impregnation. *BioResources*, 11(2), 5565–5580. <https://doi.org/10.15376/biores.11.2.Rosli>
- S. S. BARGALI^{1*}, KIRAN SHUKLA¹, LALJI SINGH¹, L. G. & M. L. L., & 1. (2012). Leaf litter decomposition and nutrient dynamics in four multipurpose tree species. *Range Management and Agroforestry*, 33(1), 20–27.
- Salmiyati, Heryansyah, A., Idayu, I., & Supriyanto, E. (2014). Oil Palm Plantations Management Effects on Productivity Fresh Fruit Bunch (FFB). *APCBEE Procedia*, 8(December 2014), 282–286. <https://doi.org/10.1016/j.apcbee.2014.03.041>
- SILITONGA, A. R. P. (2015). PENGELOLAAN PEMUPUKAN TANAMAN MENGHASILKAN KELAPA SAWIT (*Elaeis guineensis* Jacq.) DI KEBUN ADOLINA, PT PERKEBUNAN NUSANTARA IV, SERDANG BEDAGAI, SUMATERA UTARA. *Uma Ética Para Quantos?*, XXXIII, 81–87. <https://doi.org/10.1007/s13398-014-0173-7.2>
- Simanungkalit, R. D. M., Suriadikarta, D. A., Saraswati, R., Setyorini, D., Hartatik, W., & Penelitian, B. (2006). *Pupuk organik dan pupuk hayati*. bogor.
- Studi, P., Tanah, I., Pertanian, F., Kuala, U. S., Program, M., Konservasi, M., ... Distrik, K. (2017). Sufardi, 2Lukman Martunis, 1Muyassir. *Prosiding Seminar Nasional Pascasarjana (SNP) Unsiyah*, (2004), 45–53.
- Sukisno, H. W. H. (2011). *Budidaya Pertanian / Urgensi dan Strategi Pemetaan Potensi dan Status Kerusakan Tanah untuk Mendukung Produktivitas Biomassa di Kabupaten Lebong*.
- Susanti, P. D., & Halwany, W. (2017). Dekomposisi Serasah dan Keanekaragaman Makrofauna Tanah pada Hutan Tanaman Industri Nyawai (*Ficus variegata*. Blume). *Ilmu Kehutanan*, 1(2), 22–29. <https://doi.org/10.1111/gcb.13051>
- Thorn, R. G., Reddy, C. A., & Harris, D. (1996). Isolation of Saprophytic Basidiomycetes from

Soil 62(11), 4288–4292.

TOMLINSON, P. B. (2006). The uniqueness of. *Nurse Education Today*, 34(4), 569–573. <https://doi.org/10.4169/college.math.j.46.4.270>

Tejoyuwono N. 1998. *Tanah dan Lingkungan*. Jakarta (ID): Direktorat Jendral Pendidikan Tinggi, Departemen Pendidikan dan Kebudayaan.

Utami, S. N. H., & Handayani, S. (2003). Sifat kimia entisol pada sistem pertanian organik chemical properties in organic and conventional farming system. *Ilmu Pertanian*, 3(10), 63–69.

Vos, V. C. A., van Ruijven, J., Berg, M. P., Peeters, E. T. H. M., & Berendse, F. (2013). Leaf litter quality drives litter mixing effects through complementary resource use among detritivores. *Oecologia*, 173(1), 269–280. <https://doi.org/10.1007/s00442-012-2588-1>

WIDAWATI, S. (2006a). Augmentation of potential phosphate solubilizing bacteria (PSB) stimulate growth of green mustard (*Brasica caventis* Oed.) in marginal soil. *Biodiversitas, Journal of Biological Diversity*, 7(1), 10–14. <https://doi.org/10.13057/biodiv/d070104>

WIDAWATI, S. (2006b). The population of phosphate solubilizing bacteria (PSB) from Cikaniki, Botol Mountain, and Ciptarasa Area, and the ability of PSB to solubilize insoluble P in solid pikovskaya medium. *Biodiversitas, Journal of Biological Diversity*, 7(2), 109–113. <https://doi.org/10.13057/biodiv/d070203>

Widyastuti. (1998). Pelepasan Unsur Hara dalam Proses Dekomposisi Serasah Sebagai Petunjuk Aktivitas Mikroorganisme dibawah Tegakan Acacia Mangium (p. (35):11-19). p. (35):11-19.

Wigena, I. G. P., Sudradjad, Sitorus, S. R. P., & Siregar, H. (2009). Karakterisasi tanah dan iklim serta kesesuaiannya untuk kebun kelapa sawit plasma di Sei Pagar, Kabupaten Kampar, Provinsi Riau. *Jurnal Tanah Dan Iklim*, (30), 1–16.