

DAFTAR PUSTAKA

- Adams, G.G., Imran, S., Wang, S., Mohammad, A., Kök, M.S., Gray, D.A., Channell, G.A., Morris, G.A., Harding, S.E. 2011. The hypoglycaemic effect of pumpkins as antidiabetic and functional medicines. *J foodres* (44):862867.doi:10.1016/j.foodres.2011.03.016.
- Akbarzadeh A, Norouzian D, Mehrabi MR, Jamshidi Sh, Farhangi A, Allah Verdi A. 2007. Induction of dia-betes by streptozotocin in rats. *Indian J ClinBiochem.* 22 (2) : 60–64.
- Andini, A.N., Ardiaria, M. 2016. Pengaruh pemberian kombinasi minyak rami dengan minyak wijen terhadap kadar trigliserida pada tikus *Sprague Dawley* displidemia. *Journal of Nutrition College*, Volume 5, Nomor 4, Tahun 2016 (Jilid 5).
- Angelova, P., Boyadjiev, N. 2013. A Review on the Models of Obesity and Metabolic Syndrome in Rats. *Trakia J Sci.* 11(1):5-12.
- Anonim. 2009. Diversifikasi tanaman kakao muda dengan garut. [http://www.ipard.com/ penelitian/penelitian_kakao.asp](http://www.ipard.com/penelitian/penelitian_kakao.asp). Diakses 25 Maret 2020.
- Artha IMJR, Bhargah A, Dharmawan NK, Pande UW, Triyana KA, Mahariski PA. 2019. High level of individual lipid profile and lipid ratio as a predictive marker of poor glycemic control in type-2 diabetes mellitus. *Vasc Health Risk Manag.* 15:149-157.
- Chattopadhyay. R.R. and Bandyopadhyay, M. 2005. Possible mechanism of hepatoprotective activity of *Azadirachta indica* leaf extract against paracetamol induced hepato damage in rat : part III. *Indian J Pharmacol*, 37(3), 184-185.
- Chang, C.I., Hsu, C.M., Li, T.S., Huang, S.D., Lin, C.C., Yen, C.H., Chou, C.H., Cheng, H.L. 2014. Constituents of the stem of *Cucurbita moschata* exhibit antidiabetic activities through multiple mechanisms. *J JFF* 6(10):260-273. doi:10.1016/j.jff.2014.06.017.
- Damat, Marsono, Y., Haryadi, Cahyanto, M. N. 2008. Efek hipokolesterolemik dan hipoglikemik pati-garut butirat pada tikus *Sprague Dawley* rats. *Majalah Farmasi Indonesia*, 19 (3).
- Depkes. 2011. Dari Penyakit Menular ke Penyakit Tidak Menular. [http://www.pppl.depkes.go.id/ index.php?c=berita&m=fullview&id=133](http://www.pppl.depkes.go.id/index.php?c=berita&m=fullview&id=133). Diakses pada 20 April 2020.

- Dewi, M., Wijaya, I., dan Wijayahadi, N. 2011. Ekstrak Bawang Putih (Alliumsativum) dan Ekspresi Insulin serta Derajat Insulitis Pangkreas Tikus Sprague-Dawley yang Diinduksi Streptozotocin. *Media Medika Indonesia*, 45(2), 105-112. Retrieved from <https://ejournal.undip.ac.id/index.php/mmi/article/view/3022/2705>
- Djaafar, T.F., Sarjiman, S. Rahayu, Arlyna B.P., Murwati, Catur, P., Mujahit, M., Sulasmi, Sumisih, dan Murdiman. 2007. Pengkajian sistem usaha tanaman umbi-umbian spesifik lokasi untuk menunjang agroindustri. Laporan Kegiatan. Balai Pengkajian Teknologi Pertanian Yogyakarta.
- Faridah D. N., Fardiaz D., Andarwulan N., Sunarti T. C. 2014. Karakteristik Sifat Fisikokimia Pati Garut (*Maranta arundinaceace*). Agritech, Vol. 34, No. 1.
- Fathonah, R., Indriyanti, A., Kharisma, Y. 2014. Labu Kuning (*Cucurbita moschata Durch.*) untuk menurunkan Kadar Glukosa Darah Puasa pad Tikus Model Diabetik. Global Medical and Health Communication, Vol. 2 No. 1.
- Gao HX, Regier EE, Close KL. 2016. Prevalence of and trends in diabetes among adults in the United States, 1988-2012. J Diabetes. 8(1):8-9.
- Garcia, E., Cabrera, C., Lorenzo, M.L., Lopez, M.C., Sanchez, J. 2001. Estimation of chromium bioavailability from the diet by an in vitro method. Food Addit Contam 18(7):601606. doi:10.1080/02652030117232.
- Ghasemi, A., Khalifi, S., Jedi, S. 2014. Streptozotocin-nicotinamide-induced rat model of type 2 diabetes (Review). Acta Physiologia Hungaria. Volume 101 (4), pp. 408-420.
- Glew, R.H., Glew, R.S., Chuang, L.T., Huang, Y.S., Millson, M., Constans, D., Vanderjagt, D.L. 2006. Amino acid, mineral and fatty acid content of pumpkin seeds (*cucurbita spp*) and cyperus esculentus nuts in The Republic of Niger. Plant Foods for Human Nutrition 61(2):49-54.doi: 10.1007/s11130-0060010-z.
- Hawa, I., & Murbawani, A. 2015. Pengaruh Pemberian Formula Enteral Berbahan Dasar Labu Kuning (*Cucurbita moschata Durch*) Terhadap Kadar Glukosa Darah Posprandial Tikus Diabetes Mellitus. *Journal of Nutrition Collage*, 4(4), 387-393. doi:10.14710/jnc.v4i4.10115
- Husna, F., Suyatna, F. D., Arozal, W., Purwaningsih, E. H. 2019. Model Hewan Coba pada Penelitian Diabetes. Pharmaceutical Sciences and Research (PSR), 6(3), 2019, 131 – 141.

- International Diabetes Federation. 2015. ‘Annual Report’, *International Diabetes Federation. International Diabetes Federation (2017) Eight edition 2017.*
- Jin, H., Zhang, Y.J, Jiang, J.X., Zhu, L.Y., Chen, P., Li, J., Yao, H.Y. 2013. Studies on the extraction of pumpkin components and their biological effects on blood glucose of diabetic mice. *Journal of food and drug analysis.* 21(2): 184-189. doi: 10.1016/j.jfda.2013.05.009.
- Jyothi A, J. T. Sheriff, and M. S. Sajeev. 2009. Physical and Functional Properties of Arrowroot Starch Extrudates. *Journal Food Science.* 74(2), 97—104.
- Karisma, Kalyani RR, Golden SH, Cefalu WT. Diabetes and Aging: Unique Considerations and Goals of Care. *Diabetes Care.* 2017;40(4):440-443.
- Kandlakunta, B., Rajendran, A., and Thingnganing, L. 2008. Carotene Content Of Some Common (Cereals, Pulses, Vegetables, Sp Ices And Condiments) AndUnconventional Sources Of Plant Origin.*Food Chemistry,* 106,85–89.
- Kumar, Cotran, Robbins. (2007). Buku Ajar Patologi. Jakarta: EGC. hlm. 796.
- Lenzen S. 2008. The mechanisms of alloxan andstreptozotocin induced diabetes. *Diabetologia..*51 : 216–26.
- Makni, M., Sefi, M., Fetoui, H., Garoui, E.M., Gargouri, N.K., Boudawara, T., Zeghal, N. 2010. Flax and pumpkin seeds mixture ameliorates diabetic nephropathy in rats. *Food Chem Toxicol* 48(8-9):2407-2412. doi: 10.1016/j.fct.2010.05.079.
- Marsono, Y. 2002. “Indeks Glisemik Umbi-umbian”. Agritech, Vol 22 No. 1 Tahun 2002. Fakultas Teknologi Pertanian, Universitas Gadjah Mada.
- Okamoto, H. and Takasawa, S. 2002. Recent advances in the okamoto model : The Cd38 cyclic ADP-Ribose signal system and the regenerating gene protein (Reg)-Reg receptor system in β-cells. *Diabetes,* 51(3), 462-473.
- PERKENI. 2015. Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus tipe 2 di Indonesia. Jakarta. PB PERKENI.
- Rossa, V., Nodia F. 2020. Hasil Riskades 2018, Penyakit Tidak Menular Semakin Meningkat. <https://www.suara.com/health/2018/11/02/101437/hasil-riskesdas-2018-penyakit-tidak-menular-semakin-meningkat>. Diakses pada 20 April 2020.
- Santoso A. 2011. Serat Pangan (*Dietary Fiber*) dan Manfaatnya Bagi Kesehatan. *Jurnal Magistra.* 23(75):35-40.

- Schteinrat, D. E. 2003. Pankreas: Metabolisme Glukosa dan Diabetes Melitus. Dalam Price SA, Wilson LM. Patofisiologi: Konsep klinis proses-proses penyakit. Edisi 6 Volume 2. Jakarta: ECG.
- Sedigheh, A., Jamal, M.S., Mahbubeh, S., Somayeh, K., Mahmoud, R., Azadeh, A. and Fatemeh, S. 2011. Hypoglycaemic and Hypolipidemic Effects of Pumpkin (*Cucurbita Pepo L.*) on Alloxan-Induced Diabetic Rats. *J Pharm Pharm.* 23: 26202626.
- Sharma M, Katyal T, Grewal G, Behera D, Budhiraja RD. 2009. Effect of Antioxidants Such as β -Carotene, Vitamin C and Vitamin E on Oxidative Stress, Thermal Hyperalgesia and Cold Allodynia in Streptozotocin Induced Diabetic Rats. *The International Jurnal of Pharmacology.*1531-2976.
- Sherwood, L. 2001. Fisiologi Manusia;dari Sel keSistem. Edisi 2. Jakarta; EGC.
- Sinaga S. 2011. Pengaruh Substitusi Tepung Terigu Dan Jenis Penstabil Dalam Pembuatan Cookies Labu Kuning. (Skripsi). Medan. Universitas Sumatera Utara.
- Slamet, A. 2011. Fortifikasi Tepung Wortel Dalam Pembuatan Bubur Instan Untuk Peningkatan Provitamin A. AGROINTEK Vol 5, No. 1.
- Slamet, A., Praseptiangga, D., Hartanto, R., and Samanhudi. 2019. Physicochemical and Sensory Properties of Pumpkin (*Cucurbita moschata D*) and Arrowroot (*Marantha arundinaceae L*) Starch-based Instant Porridge. *International Journal on Advanced Science Engineering Information Technology* Vol.9 No. 2.
- Soewondo, P., 2007. Hidup Sehat Dengan Diabetes. Balai Penerbit FK UI, Jakarta
- Srikanthan, K., Feyh, A., Visweshwar, H., Sodhi, K. 2016. Systematic review of metabolik syndrome biomarkers: A panel for early detection, management, and risk stratification in the West Virginian population, *International Journal of Medical Sciences*, 13(1), pp. 25–38.
- Sugiyanto. 2010. Petunjuk Praktikum Farmakologi Dasar. Edisi 20. Yogyakarta: Departemen Farmakologi dan Farmasi Klinik Fakultas Farmasi UGM.
- Sugiyono. 2009. *Metode penelitian pendidikan*. Bandung: Alfabeta.
- Sunaryo, H., Siska., Dwitiyanti., Helmi. 2013. Aktivitas Ekstrak Jahe Gajah (*Zingiber officinale*) dengan Zinc terhadap Kadar Glukosa Darah Mencit yang Diinduksi Streptozotocin dan Pakan Hiperkolesterol. *Jurnal Lemlit UHAMKA*.

- Syadza, M.N., Isnawati, M. 2014. Pengaruh pemberian Jus pare (*Momordica charantia Linn.*) dan jus jeruk nipis (*Citrus aurantifolia*) terhadap peningkatan kadar kolesterol HDL (*High Density Lipoprotein*) tikus *Sprague dawley* dislipidemia. J Nutr Coll. 3(4)
- Szkudelski, T. 2001. The Mechanism of Aloksan and Streptozotocin Action in β Cells of The Rats Pancreas. Physiol Res.; 50: 536-546.
- Utami AR. 2008. Kajian Indeks Glikemik dan Kapasitas In Vitro Pengikatan Kolesterol dari Umbi Suweg (*Amorphophallus campanulatus* BI.) dan Umbi Garut (*Maranta arundinacea* L.). Skripsi. Fakultas Teknologi Pertanian. IPB, Bogor.
- Wahyuni, D. 2017. Tepung Labu Kuning (*Cucurbita Moschata*) Menurunkan Kadar Glukosa Darah Pada Tikus Sindroma Metabolik. Asiyah : Jurnal Kesehatan 2(1) 11-16.
- World Health Organization. 1993. Research guidelines for evaluating the safety and efficacy of herbal medicines. Manila: World Health Organization Regional Office for Western Pacific. P. 35.