

DAFTAR PUSTAKA

- Ahmad, M., Benjakul, S., Prodpran, T., dan Agustini, T.W., 2012. Physico-mechanical and Antimicrobial Properties of Gelatin Film From the Skin of Unicorn Leather Jacket Incorporated with Essential Oils. *Food Hydrocolloids* 28(1): 189-199.
- Aini, N., Purwono, B. dan Tahir, I., 2007. Structure Antioxidant Activities Relationship Analysis of Isoeugenol, Eugenol, Vanilin, and Their Derivatives. *Indonesia Journal Chemistry* 7(1): 61-66.
- Akili, M.S., Ahmad, U., dan Suyatma, N.E., 2012. Karakteristik Edible Film dari Pektin Hasil Ekstraksi Kulit Pisang. *Jurnal Keteknikan Pertanian* 261: 39-46.
- Alcazar-alay, S.C., dan Meireles, M.A.A., 2015. Phsycochemical Properties Modifications and Applications of Starches from Different Botanical Sources. *Food Science and Technology* 352: 215-236
- Al-Hashimi A.G., Ammar, A.B., Lakshmanan, G., Cacciola, F. dan Lakhssassi, N., 2020. Development of a Millet Starch Edible Film Containing Clove Essential Oil. *Foods* 9(184): 1-14.
- Amelia, P., 2011. Isolasi, Elusidasi Struktur dan Uji Aktivitas Antioksidan Senyawa Kimia dari Daun Garcinia benthami pierre. Magister Ilmu Kefarmasian. Universitas Indonesia: Jakarta.
- Anonim. 1975 Japanese Standard Asociation: Japan.
- Anonim, 1996. Standard Test Methods for Tensile Properties of Thin Plastic Sheeting. D882-91. Annual Book of ASTM: Philadelphia.
- Anonim, 2013. Batas Maksimum Penggunaan Bahan Pangan Pengental. Badan Pengawas Obat dan Makanan: Jakarta.
- Anonim, 2016. Outlook Komoditas Pertanian Sub Sektor Tanaman Pangan Ubi Kayu. Pusat Data dan Sistem Informasi Pertanian: Jakarta.
- Anonim, 2017. Statistik Perkebunan Indonesia Komoditas Cengkeh 2015-2017. Kementerian Pertanian: Jakarta.
- Astuti, P. dan Erprihana, A. A., 2014 Antimicrobial Edible Film from Banana Peels as Food Packaging. *American Journal of Oil and Chemical Technologies* 22: 65-70.

- Atares, L. dan Chiralt, A., 2015. Essential Oil as Additives in Biodegradable Films and Coatings for Active Food Packaging. Trends in Food Science & Technology 48: 51-62.
- Bangyekan, C., Chalernsook, B., Ratisuthawat, B., Prapasitthi, S. Dan Munchukangwan, K., 2006 Preparationand Properties Evaluation of Chitosan-Coated Cassava Starch Flour Films. The 15th IAPRI World Conference on Packaging: Tokyo.
- Basiak, E., Lenart, A. dan Debeaufort, F., 2017. Effect of Starch Type on the Physico-chemical Properties of Edible Films. International Journal of Biological Macromolecules.
- Biswal, D.R. dan Singh R.P., 2004. Characterisation of Carboxymethylcellulose and Polyacrylamide Graft Copolymer. Carbohydrate Polymer 57: 379-387.
- Bourtoom, T., 2007. Efekt of Some Process Parameters on the Properties of Edible Film Prepared from Starch. Songkhla: Departement of Material Product Technology. Challenges and Opportunities. Food Technology 512: 61-73.
- Bravin, B., Peressini, D. dan Sensidoni, A., 2004. Influence of Emulsifier Type and Content of Functional properties of Polysaccharide Lipid-Based Edible Films.
- Cortes-Rojas D.F. de Souza C.R. dan Oliveira, W.P., 2014. Clove Syzygium aromaticum: A Precious Spice. Asian Pacific Journal Tropical Biomedic. 42: 90-96.
- Cura, J. A., Jansson, P. E., dan Krisman, C. R., 1995. Amylose is not Strictly Linear. Starch/Staerke 47: 2017-209.
- Damat, 2008. Efek Jenis dan Konsentrasi Plasticizer terhadap Karakteristik Edible Film dari Pati Garut Butirat. Agritek 16(3): 333-339.
- Dashipour, A., Khaksar, R., Hosseini, H., Shojaee-Aliabadi, S. dan Ghanati, K., 2014. Physical, Antioxidant and Antimicrobial Characteristics of Carboxymethyl Cellulose Edible Film Cooperated with Clove Essential Oil. Zahedan Journal of Research in Medical Sciences 168: 34-42.
- Eliasson, A. C., 2004. Starch in Food. Woodhead Publishing Limited: Cambridge.
- Embuscado, M.E. dan Huber, K.C., 2009. Edible Film and Coatings for Food Applications. Springer: New York.

- Evangelho, J.A., Dannenberg, G.S., Biduski B., Halal, S.L.M., Kringel, D.H.K., Gularte, M.A., Fiorentini, A.M., Zavareze, E.R., 2019. Antibacterial Activity, Optical Mechanical and Barrier Properties Starch Films Containing Orange Essential Oil. Carbohydrate Polymer
- Galus, S., dan Kadzinska J., 2016. Moisture Sensitivity, Optical, Mechanical and Structural Properties of Whey Protein-Based Edible Films Incorporated with Rapeseed Oil. Food Technology and Biotechnology 541: 78-89.
- Gourmelon, G., 2015. Global Plastic Production Rises Recycling Lags, 27 Januari 2015. Worldwatch Institute: Washington.
- Gulcin, I., Elmastas, M. dan Aboul-Enein, H.Y., 2010. Antioxidant Activity of Clove Oil-A Powerful Antioxidant Source. Arabian Journal of Chemistry 5: 489-499.
- Handayani, R. dan Nurzana, H., 2018. Karakteristik Edible Film Pati Talas dengan Penambahan Antimikroba dari Minyak Atsiri Lengkuas. Jurnal Kompetensi Teknik 10(1): 1-11.
- Hosseini, M.H., Razavi, S.H. dan Mousavi, M.A., 2009. Antimicrobial, Physical and Mechanical Properties of Chitosan-Based Films Incorporated with Thyme, Clove and Cinnamon Essential Oil. Journal of Food Processing and Preservation 33: 727-743.
- Irhami, Anwar, C. dan Kemalawaty, M., 2019. Karakteristik Sifat Fisikokimia Pati Ubi Jalar dengan Mengkaji Jenis Varietas dan Suhu Pengeringan. Jurnal Teknologi Pertanian 201: 33-44.
- Janjarasskul, T. dan Krochta, J.M., 2010. Edible Packaging Materials. Annual Review Food Science Technology 1: 415-448.
- Juntachote, J. dan Berghofer, E., 2005. Antioxidant Properties and Stability of Ethanol Extract of Holy Basil and Galangal. Food Chemistry 92: 193-202.
- Kamal, N., 2010. Pengaruh Bahan Aditif CMC Carboxymethyl cellulose terhadap Beberapa Parameter pada Larutan Sukrosa. Jurnal Teknologi 117: 78-84.
- Koswara, S., 2009. Teknologi Modifikasi Pati. Ebook Pangan.com.
- Kusumawati, D.A. dan Putri, W.D.R., 2013. Karakteristik Fisik dan Kimia Edible Film Pati Jagung yang Diinkorporasi dengan Perasan Temu Hitam. Jurnal Pangan dan Agroindustri 1(1): 90-100.
- Lim, G.O., Jang, S.A. dan Song, K.B., 2010. Physical and Antimicrobial Properties of Gelidium Corneum/Nanoclay Composite Film Containing

- Grapefruit Seed Extract or Tymol.Journal of Food Engineering 98: 415-420.
- Li Y, Shoemaker C.F., Ma J., Shen X. dan Zhong F., 2008. Paste Viscosity of Rice Starches of Different Amylose Content and Carboxymethyl Cellulose formed by Dry Heating and the Physical Properties of Their Films. Food Chemistry 1092: 616-623.
- Maizura, M., Fazilah, A., Norziah, M.H. dan Karim, A.A., 2007. Antibacterial Activity and Mechanical Properties of Partially Hydrolized Sago Starch-Alginate Edible Film Containing Lemongrass Oil. Journal of Food Science 72(6): 324-330.
- Moraes, J.O., Scheibe, A.S., Sereno A., dan Laurando, J.B., 2013. Scale-up of the Production of cassava Starch Based Films Using Tape-Casting. Journal of Food Engineering 119: 800-808.
- Motedayen, A.A., Khoidayan, F., Salehi, E.A. dan Hosseini, S.S., 2019. Characterizaion of Biocomposite Film Made of Kefiran and Carboxymethyl Cellulose (CMC). Journal of Food and Bioprocess Engineering 2(1): 61-70.
- Muin, R., Anggraini, D. dan Malau, F., 2017. Karakterisasi Fisik dan Antimikroba Edible Film dari Tepung Tapioka dengan Penambahan Gliserol dan Kunyit Putih. Jurnal Teknik Kimia 233: 191-198.
- Murtiningrum, Sarungallo, Z.L., Cepeda, G.N. dan Olong N., 2013. Stabilitas Emulsi Minyak Buah Merah Pandanus conoideus L. pada Berbagai Nilai Hydrophile-Lyphophile Balance HLB of Emulsifiers. Jurnal Teknologi Industri Pertanian 231: 30-37
- Mustafa, A., 2015. Analisis Proses Pembuatan Pati Ubi Kayu Tapioka Berbasis Neraca Massa. Jurnal Agrointek 92: 127-133.
- Mu'nisa, A., Wresdiyati, T., Kusumorini, N. dan Manalu, W., 2012. Aktivitas Antioksidan Ekstrak Daun Cengkeh. Jurnal Veteriner 133: 272-277.
- Mylonasa, C.C., Cardinalettia, T.G., Sigelakia, I., Polzonetti-Magni, A. 2005 Comparative efficacy of Clove Oil and 2-phenoxyethanol as Anesthetics in the Aquaculture of European Sea Bass *Dicentrarchus labrax* and Gilthead Seabream *Sparus aurata* at Different Temperatures. Aquaculture 246: 467-481.
- Nejad, S.M., Ozgunes, H. dan Basaran N., 2017. Pharmacological and Toxicological Properties of Eugenol. Turkey Journal Pharm Sci 142: 201-206.

- Nuansa, M.F., Agustini, T.W. dan Susanto, E., 2016. Karakteristik dan Aktivitas Antioksidan Edible Film dari Refined Karaginan dengan Penambahan Minyak Atsiri. Jurnal Pengairan dan Bioteknologi Hasil Perikanan 6(1): 54-62.
- Nurindra, A.P., Alamsjah, M.A., dan Sudarno, 2015. Karakterisasi Edible Film dari Pati Propagul Mangrove Lindur *Bruguiera gymnorhiza* dengan Penambahan Carboxymethyl Cellulose CMC sebagai Pemlastis. Jurnal Ilmiah Perikanan dan Kelautan 72: 126-132.
- Omar, N.F., Hassan, S.A., Yusoff, U.K., Abdullah, N.A.P., Wahab, P.E.M. dan Sinniah, U., 2012. Phenolics, Flavonoids, Antioxidant Activity and Cyanogenic Glycosides of Organic and Mineral-base Fertilizer Cassava Tubers. Molecules 17: 2378-2387.
- Putri, D.A., Setiawan, A., dan Anggraini, P.D., 2018. Physical Properties of Edible Sorghum Starch Film Added with Carboxymethyl Cellulose. Journal of Physical Science 292: 185-194.
- Putri, D. A., Sulistyowati, D. dan Ardhian T., 2019. Analisis Penambahan Carboxymethyl Cellulose terhadap Edible Film Pati Umbi Garut sebagai Pengemas Buah Strawberry. Jurnal Riset Sains dan Teknologi 32: 77-83.
- Rani, M.S.A., Rudhzhia S., Ahmad A. dan Mohamed, N.S., 2014. Biopolymer Electrolyte Based on Derivates of Cellulose from Kenaf Bast Fiber. Polymers 6: 2371-2385.
- Rindlav-Westling, A., Stading, M., Hermansson, A.M., dan Gatenholm P., 1998. Structure Mechanical and Barrier Properties of Amylose and Amylopectin Films. Carbohydrate Polymers 36: 217-224.
- Robyt, J. F., 2008. Starch: Structure, Properties, Chemistry and Enzymology. GlycoScience: 1437-1472.
- Rover, M.R. dan Brown, R.C., (2013). Quantification of Total Phenol in Bio-Oil Using the Folin-Ciocalteu Method. Journal of Analytical and Applied Pyrolysis 104: 366-371.
- Serrano-Cruz, M.R., Villanueva-Carvajal, A., Morales-Rosales, E.J., Ramirez-Davila, J.F. dan Domingues-Lopez, A., 2013. Controlled Release and Antioxidant Activity of Roselle (*Hibiscus sabdariffa* L.) Extract Encapsulated in Mixture of Carboxymethyl Cellulose, Whey Protein and Pectin. LWT-Food Science and Technology 50(2): 554-561.

- Setyaningrum, A., Sumarni, N.K. dan Hardi, J., 2017. Sifat Fisiko-Kimia Edible Film Agar-Agar Rumput Laut Gracilaria sp. Tersubstitusi Gliserol. Journal of Science and Technology 62: 136-143.
- Shan, B., Cai, Y.Z., Sun, M dan Corke, H., 2005. Agricultural and Food Chemistry 53: 7749-7759.
- Shojaee-Aliabadi, S., Hosseini, H., Mohammadifar, M.A., Ghasemlou, M., Ojagh, S.M., Hosseini, S.M. dan Khaksar, R., 2012. Characterization of Antioxidant-Antimicrobial k-carragenan Films Containing Satureja Hortensis Essential Oil. International Journal of Biological Macromolecules. 52: 116-24.
- Suprapti, L., 2005. Teknologi Pengolahan Pangan Tepung Tapioka dan Pemanfaatannya. Gramedia Pustaka: Jakarta.
- Suput, D., Lazic, V., Pezo, L., Markov, S., Vastag, Z., Popovic, L., Radulovic, A., Ostojic, S., Zlatanovic, S. dan Popovic, S., 2016. Characterization of Starch Edible Film with Different Essential Oils Addition. Polish Journal of Food and Nutritioins Sciences 664: 277-285.
- Susilawati, Nurdjanah, S. dan Putri, S., 2008. Karakteristik Sifat Fisik dan Kimia Ubi Kayu Manihot esculenta Berdasarkan Lokasi Penanaman dan Umur Panen Berbeda. Jurnal Teknologi dan Hasil Pertanian 132: 59-72.
- Swinkels, J.J.M., 1985. Composition and Properties of Commercial Native Starches. Starch 371: 1-5.
- Tabari, M., 2018. Characterization of a New Biodegradable Edible Film Based on Sago Starch Loaded with Carboxymethyl Cellulose Nanoparticles. Nanomed Res J 31: 25-30.
- Tian, H., Guo G., Xiang, A. dan Zhong, W.H., 2018. Intermolecular Interactions and Microstructure of Glicerol-Plastisized Soy Protein Materials at Moleculer and Nanometer Levels. Polymer Testing 67: 197-204.
- Tongdeesoontorn, W., Mauer, L.J., Wongruong, S., Sriburi P. dan Rachtanapun, P., 2011. Effect of Carmoxymethyl Cellulose Concentration on Physical Properties of Biodegradable Cassava Starch-Based Films. Chemistry Central Journal 56: 1-8.
- Wani, A.A., Singh, P., Shah, M.A., Schweiggert-Weisz, U., Gul, K. dan Wani, I.A., 2012. Rice Starch Diversity: Effect on Structural, Morphological, Thermal and Physicochemical Properties-A Review. Comprehensive Reviews in Food Science and Food Safety 115: 417-436.

- Winarno, F.G., 1992. Kimia Pangan dan Gizi. Gramedia Pustaka: Jakarta.
- Winarti, C., Miskiyah dan Widaningrum, 2012. Teknologi Produksi Pengemas Edible Antimikroba Berbasis Pati. Jurnal Litbang 31(3): 85-93.
- Yi, B., Hu, L., Mei, W., Zhou, K., Wang, H., Luo, Y., Wei, X. dan Dai, H., 2011. Antioxidant Fenolic Compounds of Cassava (*Manihot esculenta*) from Hainan. Molecules 16: 10157-10167.
- Zhu, T., Jackson, D.S., Wehling, R.L., dan Geera B., 2008. Comparison of Amylose Determination Methods and the Development of a Dual Wavelenght Iodine Binding Technique. Cereal Chemistry 85: 51-58.
- Zuwanna, I., Fitriani, dan Meilina, H., 2017. Pengemas Makanan Ramah Lingkungan Berbasis Limbah Cair Tahu Whey sebagai Edible Film. Prosiding Seminar Nasional Pascasarjana: 77-87.