DAFTAR PUSTAKA

Afrianto, S., & Wariyah, C. (2020). Karakteristik Growol yang Dibuat dengan Variasi Varietas Ubi Kayu (Manihot esculenta Crantz) dan Lama Fermentasi. *agriTECH*, *40*(3), 254. https://doi.org/10.22146/agritech.50228

Annisa Istiqomah, & Rustanti, N. (2015). Indeks glikemik, beban glikemik, kadar protein, serat, dan tingkat kesukaan kue kering tepung garut dengan substitusi tepung kacang merah,". *of Nutrition College*, *04*.

Ariani, F., Rohani, S., Sukanty, N. M. W., Yunita, L., Solehah, N. Z., & Nursofia, B. I. (2024). Penentuan Kadar Lemak Pada Tepung Terigu Dan Tepung Maizena Menggunakan Metode Soxhlet. *Ganec Swara*, *18*(1), 172. https://doi.org/10.35327/gara.v18i1.747

Barragan-Fonseca, K. B., Dicke, M., & van Loon, J. J. A. (2017). Nutritional value of the black soldier fly (Hermetia illucens L.) and its suitability as animal feed - a review. *Journal of Insects as Food and Feed*, *3*(2), 105–120. https://doi.org/10.3920/jiff2016.0055

Budi, P. Y., Aldia, K., & Ghassani Ardan. (2021). *Pengawasan Mutu Sistem First In First Out (FIFO) Pada Tepung Terigu*. UNDIP PRESS SEMARANG.

Chen, B., Dang, L., Zhang, X., Fang, W., Hou, M., Liu, T., & Wang, Z. (2017). Physicochemical properties and micro-structural characteristics in starch from kudzu root as affected by cross-linking. *Food Chemistry*, *219*, 93–101. https://doi.org/https://doi.org/10.1016/j.foodchem.2016.09.128

Damodaran, S., & Paraf, A. (1997). *Food proteins and their applications*.

Estiasih, T., & Ahmadi, K. (2009). *Teknologi pengolahan pangan*. Bumi Aksara.

Fauziyah, R. N., Restiyani, F., & Yuliastuti, E. E. S. (2023). Kontribusi Kadar Pati Resisten Singkong (Manihot esculenta) pada Endog Lero dalam Pemenuhan Angka Kecukupannya Bagi Orang Dewasa. *In Prosiding Seminar Nasional Sains dan Teknologi" SainTek" , 1*(1), 529–535.

Hall, F. G., Jones, O. G., O'Haire, M. E., & Liceaga, A. M. (2017). Functional properties of tropical banded cricket (Gryllodes sigillatus) protein hydrolysates. *Food Chemistry*, *224*, 414–422. https://doi.org/10.1016/j.foodchem.2016.11.138

Hasibuan, A., Hakim, L., & Nasution, D. L. S. (2022). Construction of Biopond Houses to Increase BSF Maggot Production in the Context of Reducing Organic Waste in Medan. *ABDIMAS TALENTA: Jurnal Pengabdian Kepada Masyarakat*, *7*(1), 284–290. https://doi.org/10.32734/abdimastalenta.v7i1.6829

Hermala Anindita, T., Kusnandar, F., & Budijanto, S. (2020). Sifat Fisikokimia Dan Sensoris Beras Analog Jagung Dengan Penambahan Tepung Kedelai. *Jurnal Teknologi dan Industri Pangan*, *31*(1), 29–37. https://doi.org/10.6066/jtip.2020.31.1.29

Ikawati, R. (2005). Optimasi Kondisi Ekstraksi Karotenoid wortel (daucus carota L.) menggunakan response Surface Mothodology (RSM). *Teknology Pertanian*, *1*(1), 14–22.

Irsalina, R., Lestari, S. D., & Herpandi. (2016). Thynnichthys thynnoides). *FishtecH – Jurnal Teknologi Hasil Perikanan*, *5*(1), 32–42. http://ejournal.unsri.ac.id/index.php/fishtech

Jumiati, T. (2009). Laporan Magang Di Pt. Indofood Sukses Makmur Tbk Semarang - Jawa Tengah (Pengendalian Mutu Mi Instan). *Laporan Magang*, *1*(1), 17–20.

Kanetro, B., & Luwihana, S. (2015). Komposisi Proksimat dan Kandungan Bakteri Asam Laktat Oyek Terbaik dari Perlakuan Penambahan Kacang Tunggak (Vigna Unguiculata) Berdasarkan Tingkat Kesukaannya Proximate Composition and Lactic Acid Bacteria of The Best Oyek from The Treatment of Cowpeas. *Jurnal Agritech*, *35*(03), 261. https://doi.org/10.22146/agritech.9335

Karina, A. (2008). *Pemanfaatan Jahe (Zingiber Officinale Rosc.) dan Teh Hijau (Camellia Sinensis) dalam pembuatan Selai Rendah Kalori dan Sumber Antioksidan.* IPB Bogor.

Koswara, S. (2009). Teknologi pengolahan mie. *eBookpangan.com*, 1–13.

Krokida, M. K., Oreopoulou, V., Maroulis, Z. B., & Marinos-Kouris, D. (2001). Colour changes during deep fat frying. *Journal of Food Engineering*, *48*(3), 219–225. https://doi.org/https://doi.org/10.1016/S0260-8774(00)00161-8

Kurniasari, E., Waluyo, S., & Sugianti, C. (2015). Mempelaj U Pengeringan Dan Sifat Fisik Mie Kering the Study of Dryi Ng Rate and Physi Cal Characteri Sti Cs of. *Teknik Pertanian Lampung*, *4*(1), 1–8.

Kuswanto, K. R. (2015). *Indonesia Growol (Fermented Cassava). Indigeneous Fermented Foods of Southeast Asia*. 197–202.

L Kathleen Mahan, & Escott-Stump, S. (2008). *Krause's food & nutrition therapy*.

Laksmitawati, D. R., Marwati, U., & Indriani, V. (2019). Pengaruh Fermentasi Umbi Suweg (Amorphophallus campanulatus) Terhadap Kadar Makronutrien Dan Nilai Indeks Glikemik Mencit. *Kartika : Jurnal Ilmiah Farmasi*, *6*(1), 21. https://doi.org/10.26874/kjif.v6i1.124

Liandani, W., & Zubaidah, E. (2015). Formulasi Pembuatan Mie Instan Bekatul (Kajian Penambahan Tepung Bekatul Terhadap Karakteristik Mie Instan). *Jurnal Pangan dan Agroindustri*, *3*(1), 174–185.

Lingga, L. (2010). *Cerdah Memilih Sayuran: Plus Minus 54 Jenis Sayuran*. AgroMedia.

Made, A. (2008). *Membuat Mie dan Bihun*. Penebar Swadaya.

MAN, Y. B., LIU, J. L., Bakar, J., & Abdul Rahman, R. (2007). Quality changes of refined-bleached-deodorized (RBD) palm olein, soybean oil and their blends during deep-fat frying. *Journal of Food Lipids*, *6*, 181–193. https://doi.org/10.1111/j.1745-4522.1999.tb00142.x

Marie Céleste Karam, Petit, J., Zimmer, D., Djantou, E. B., & Scher, J. (2016). Effects of drying and grinding in production of fruit and vegetable powders. *Journal of Food Engineering*, 32–49.

Matondang, S. (1991). *Pengeringan Biji-Bijian Hasil Pertanian*. USU Medan.

Mulyadi, A. F., Wijana, S., Dewi, I. A., & Putri, W. I. (2014). Karakteristik Organoleptik Produk Mie Kering Ubi Jalar Kuning (Ipomoea batatas) (Kajian Penambahan Telur Dan CMC) Organoleptic Characteristics of Dry

Noodle Products from Yellow Sweet Potato (Ipomoea batatas) (Study on Adding Eggs and CMC). *Jurnal Teknologi Pertanian*, *15*(1), 25–36.

Nurhadi, B., Andoyo, R., Mahani, & Indiarto, R. (2016). Study the properties of honey powder produced from spray drying and vacuum dryiSamborska, K. et al. (2019) 'Development and characterization of physical properties of honey-rich powder', Food and Bioproducts Processing. Institution of Chemical Engineers,. *International Food Research Journal*, *19*(3), 907–912.

Nurkhayatun, S., & Kanetro, B. (2018). *Inovasi Pangan Lokal Untuk Mendukung Ketahanan Pangan*.

Puspaningtyas, D. E., Sari, P. M., Kusuma, N. H., & Helsius SB, D. (2019). Analisis Potensi Prebiotik Growol: Kajian Berdasarkan Perubahan Karbohidrat Pangan. *Gizi Indonesia*, *42*(2), 83. https://doi.org/10.36457/gizindo.v42i2.390

Que, F., Mao, L., Fang, X., & Wu, T. (2008). Comparison of hot air-drying and freeze-drying on the physicochemical properties and antioxidant activities of pumpkin (Cucurbita moschata Duch.) flours. *International Journal of Food Science and Technology*, *43*(7), 1195–1201. https://doi.org/10.1111/j.1365-2621.2007.01590.x

Rani, S., Singh, R., Kamble, D., Upadhyay, A., & Kaur, B. (2019). Structural and quality evaluation of soy enriched functional noodles. *Food Bioscience*, *32*, 100465. https://doi.org/10.1016/j.fbio.2019.100465

Rhode, C., Badenhorst, R., Hull, K. L., Greenwood, M. P., Bester-van der Merwe, A. E., Andere, A. A., Picard, C. J., & Richards, C. (2020). Genetic and phenotypic consequences of early domestication in black soldier flies (Hermetia illucens). *Animal Genetics*, *51*(5), 752–762. https://doi.org/10.1111/age.12961

Rimbawan, A. S. (2004). *Indeks glikemik pangan : Cara mudah memlih pangan yang menyehatkan* (Cet. 1). Penebar Swadaya.

Setiavani, G. (2016). Kajian pembuatan tepung cassava modifikasi. *Agrointek*, *9*(1), 60–78.

Shumo, M., Osuga, I. M., Khamis, F. M., Tanga, C. M., Fiaboe, K. K. M., Subramanian, S., Ekesi, S., van Huis, A., & Borgemeister, C. (2019). The nutritive value of black soldier fly larvae reared on common organic waste streams in Kenya. *Scientific Reports*, *9*(1), 1–13. https://doi.org/10.1038/s41598-019-46603-z

Silmina, D., Edriani, G., & Putri, M. (2010). Efektifitas Berbagai Media Budidaya Terhadap Pertumbuhan Maggot Hermetia illucens. *Jurnal Ilmiah Balai Pertanian Ternak Bogor, April 2010*, 1–9.

SNI. (2008). *Metode Pengujian Cemaran mikroba dalam daging, telur dan susu serta hasil olahannya*.

Teknologi, J., Darmawan, M. R., Andreas, D. P., Jos, B., Sumardiono, S., Kimia, J. T., & Soedarto, J. P. (2013). *Modifikasi Ubi Kayu Dengan Proses Fermentasi Menggunakan Starter Lactobacillus Casei Untuk Produk Pangan*. *2*(4), 137–145.

Van Huis, A. (2013). Potential of insects as food and feed in assuring food security. *Annual Review of Entomology*, *58*, 563–583. https://doi.org/10.1146/annurev-ento-120811-153704

Wariyah, C., . R., & Kanetro, B. (2019). Effect of Cooling Methods and Drying Temperatures on the Resistant Starch Content and Acceptability of Dried-Growol. *Pakistan Journal of Nutrition*, *18*(12), 1139–1144. https://doi.org/10.3923/pjn.2019.1139.1144

Widyaningtyas, M., & Susanto, W. H. (2015). Pengaruh Jenis dan Konsentrasi Hidrokoloid (Carboxy Methyl Cellulose, Xanthan Gum, Dan Karagenan) Terhadap Karakteristik Mie Kering Berbasis Pasta Ubi Jalar Varietas Ase Kuning. *Jurnal Pangan dan Agroindustri*, *3*(2), 417–423.

Zhao, D., Yu, D., Kim, M., Gu, M.-Y., Kim, S.-M., Pan, C.-H., Kim, G.-H., & Chung, D. (2019). Effects of temperature, light, and pH on the stability of fucoxanthin in an oil-in-water emulsion. *Food Chemistry*, *291*, 87–93. https://doi.org/10.1016/j.foodchem.2019.04.002

Zhou, F., Liu, Q., Zhang, H., Chen, Q., & Kong, B. (2016). Potato starch oxidation induced by sodium hypochlorite and its effect on functional properties and digestibility. *International Journal of Biological Macromolecules*, *84*, 410–417. https://doi.org/10.1016/j.ijbiomac.2015.12.050

Zielińska, E., Baraniak, B., & Karaś, M. (2017). Antioxidant and anti-inflammatory activities of hydrolysates and peptide fractions obtained by enzymatic hydrolysis of selected heat-treated edible insects. *Nutrients*, *9*(9), 1–14. https://doi.org/10.3390/nu9090970